Aztech DSL600EW

- Establish a connection between the device and the router via network cable or Wi-Fi
- Open a browser and type 192.168.1.1 in the address bar
- You will be prompted to enter Username: admin and Password: admin

\rightarrow C \triangleq 192.168.1.		
AZTECH DSL605EU		
This site is asking you to sig	n in.	
Username		
admin		
Password		
admin		
<u> </u>		

• To configure Wireless , Click Wireless in the top menu then click Setup on the left

Save Settings	Rest	tart Access Point	Restart Router	Setup	Basic	Advanced	Wireless	Security	Status	Help
Wireless Setup Configuration Multiple SSID		The Wireless sec	tion allows you to .		Wir	reless				
Security Management			Setup	A basic	setup for	r configuring th	ne wireless r	outer.		
WDS			Configuration	n An adva	ince setu	p option for th	ie wireless ro	outer.		
			Multiple SSIC	Oonfigur	re Multipl	le SSIDs.				
			Security	Identifie	s 3 secu	rity features.				
			Management	t Consists Multiple	s of Acce SSID.	ss List, Associ	ated Stations	s and		
			WDS	Configur paramet	re Wirele ters.	ss Distributior	n System			

- In Primary SSID type wireless name and click Apply
- You may need to connect your device again to new Wi-Fi name

Save Settings	Restart Access Point Restart Router Setup Basic Advanced Wireless Security Status Help
Wireless Setup Configuration	Wireless Setup
Multiple SSID Security	Enable AP:
Management WDS	Primary SSID: yournetworkname
	Hidden SSID:
	Channel B/G: 6
	802.11 Mode: Mixed 💙
	4X: 🗹
	User Isolation:
	QoS Support:
	42
	Note: you must <u>Restart Access Point</u> for Wireless changes to take effect. Apply Cancel

- Click on Security on the left side menu then Select Specified SSID
- Choose WPA then WPA2 options
- In Pre-Shared Key type wireless password (safest passwords are long and contain at least 8 digits of mixed letters, and numbers)
- Click Apply and Save Settings in the upper left corner then restart router

Save Settings Res	tart Access Point Restart Router Setun Basic Advanced Wireless Security Status Help
Save Settings Res Wireless Setup Configuration Multiple SSID Security Management WDS	tart Access Point Restart Router Setup Basic Advanced Wireless Security Status Help Wireless Security Select an SSID and its security profile: yournetworkname O None WEP 802.1x WPA O WPA O WPA2 O AnyWPA D Enable WPA2 O AnyWPA D Rodius Server IP Address: Port: Port: Secret: Port: Secret: O Pre-Shared Key PSK String: O
	Apply Cancel