Buffalo WBMR-HP-GB

You can apply this procedure on computer, PlayStation, XBOX, Nintendo and any other gaming device

PlayStation 4

In order to solve your PS4 problem please follow the below steps

- Step 1: Firstly navigate to the settings menu on your PS4
- Step 2: Next select Network
- Step 3: You need to select "set up internet connection"
- Step 4: You need to select "custom"
- Step 5: You need now to select the method in which your PS4 connects to the internet
- Step 6: Make sure to set your IP address manually
- Step 7: Enter the desired IP address that you would like to use for your PlayStation[®]4.
 - ▶IP Address: 192.168.11.50
 - >Subnet Mask: 255.255.255.0
 - Default Router: 192.168.11.1 (IP Address of your router)
 - ▶ Primary DNS: 193.227.177.130
 - Secondary DNS: 194.126.16.38
- Step 8: In MTU Settings, select automatic.
- Step 9: In Proxy servers , select Do Not Use
- Step 10: Select TEST Internet Connection.
- Step 11: Connect a device to your Buffalo modem (using cable / WIFI)
- Step 12: In your browser enter the address 192.168.11.1
- Step 13: You will be prompted to enter Username: root and Password keep it blank then click OK
- Step 14: Click LAN Configuration then DMZ
- Step 15: Type 192.168.11.50 in IP Address of DMZ then click Apply

BUFFALD WBMR-HP-GN							
Setup	Internet/LAN	Wireless Config	Security	LAN Config	Admin Config	Diagnostic	
Port Forwarding DMZ UPnP QoS							
Ц .					DMZ Settings		
IP Address of DMZ 192.168.11.50					IP Address of DMZ		
(*) The IP Address of the client that is configuring this AirStation is [192.168.11.2] Apply					Specify the address of a LAN side network device to which rejected communication packets are to be transferred. When an IP address is entered for the DMZ, it becomes possible to access the device at that address from outside the		

• Step 16: Reboot your PS4 and your NAT type problem should be solved

PlayStation 3

In order to solve your PS3 problem please follow the below steps:

- Step 1: On your PS3: Go to network settings then Internet connection settings a
- Step 2: Choose the type of connection you are using (wired/wireless) then choose Manual IP and enter the following IP addresses:
 - > IP Address: 192.168.11.50
 - Subnet Mask: 255.255.255.0
 - Default Router: 192.168.11.1
 - Primary DNS: 193.227.177.130
 - Secondary DNS: 194.126.16.38
- Step 3: Disable the UPnP and leave the rest of the setting as they are
- Step 4: Connect a device to your Buffalo modem (using cable / WIFI)
- Step 5: In your browser enter the address 192.168.11.1
- Step 6: You will be prompted to enter Username: root and Password keep it blank then click OK
- Step 7: Click LAN Configuration then DMZ
- Step 8: Type 192.168.11.50 in IP Address of DMZ then click Apply

BUFFALD WBMR-HP-GN							
Setup	Internet/LAN	Wireless Config	Security	LAN Config	Admin Config	Diagnostic	
Port Forwarding DMZ UPnP QoS C							
IP Address of DMZ 192.168.11.50 C (*) The IP Address of the client that is configuring this AirStation is [192.168.11.2] Apply					IP Address of DMZ Specify the address of a LAN side network device to which rejected communication packets are to be transferred. When an IP address is entered for the DMZ, it becomes possible to access the device at that address from outside the		

• Step 9: Reboot your PS3 and your NAT type problem should be solved

Laptop or Desktop

In order to solve your gaming problem on your computer please follow the below steps

- Step 1: Click Start then Control Panel
- Step 2: Click on network and internet then network and sharing center
- Step 3: When the Network and Sharing Center opens, click on Change adapter settings.
- Step 4: Right-click on your local or wireless adapter and select Properties
- Step 5: In the Local Area Connection Properties window double-click Internet Protocol Version 4 (TCP/IPv4)
- Step 6: Select use the following IP address and enter IPs and Subnet Mask
 - > IP Address: 192.168.11.50
 - Subnet Mask: 255.255.255.0
 - > Default Router: 192.168.11.1 (IP Address of your router)
- Step 7: Then enter your Preferred and Alternate DNS server addresses
 - Primary DNS: 193.227.177.130
 - Secondary DNS: 194.126.16.38
- Step 8: Connect a device to your Buffalo modem (using cable / WIFI)
- Step 9: In your browser enter the address 192.168.11.1
- Step 10: You will be prompted to enter Username: root and Password keep it blank then click OK
- Step 11: Click LAN Configuration then DMZ
- Step 12: Type 192.168.11.50 in IP Address of DMZ then click Apply

BUFFALD WBMR-HP-GN							
Setup	Internet/LAN	Wireless Config	Security	LAN Config	Admin Config	Diagnostic	
Port Forwarding DMZ UPnP QoS C Logout							
					DMZ Settings		
IP Address of DMZ 192.168.11.50					IP Address of DMZ		
(*) The IP Address of the client that is configuring this AirStation is [192.168.11.2] Apply					Specify the address of a LAN side network device to which rejected communication packets are to be transferred. When an IP address is entered for the DMZ, it becomes possible to access the device at that address from outside the		

• Step 13: Reboot your computer to solve gaming problem.